

=====

Sequence Listing could not be accepted due to errors.

See attached Validation Report.

If you need help call the Patent Electronic Business Center at (866) 217-9197 (toll free).

Reviewer: Anne Corrigan

Timestamp: [year=2008; month=5; day=21; hr=16; min=16; sec=12; ms=881; ]

=====

\*\*\*\*\*

Reviewer Comments:

<210> 44

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC\_FEATURE

<222> (6)..(6)

<223> Xaa is citrulline

<220>

<221> MISC\_FEATURE

<222> (8)..(8)

<223> Xaa can be Glu or D-Glu

<220>

<221> MISC\_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline

<400> 44

Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

The Xaa's at locations 2, 5, 7, and 11 are not explained above.  
Locations 3, 6, 8, and 12 do not contain Xaa's; therefore, the above  
explanations for those locations are incorrect. Same type of errors  
appear in Sequences 47, 48, 49, and 52.

<210> 53  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (2)..(2)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (5)..(5)  
<223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (7)..(7)  
<223> Xaa can be Glu or D-Glu

<220>  
<221> MISC\_FEATURE  
<222> (11)..(11)  
<223> Xaa is citrulline

<400> 53

Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

Although the above "<211>" response is "14," only 13 amino acids are shown.

\*\*\*\*\*

Application No: 10525838

Version No: 3.0

**Input Set:****Output Set:****Started:** 2008-05-20 17:31:47.741**Finished:** 2008-05-20 17:31:53.668**Elapsed:** 0 hr(s) 0 min(s) 5 sec(s) 927 ms**Total Warnings:** 68**Total Errors:** 15**No. of SeqIDs Defined:** 68**Actual SeqID Count:** 68

Error code	Error Description
W 213	Artificial or Unknown found in <213> in SEQ ID (1)
W 213	Artificial or Unknown found in <213> in SEQ ID (2)
W 213	Artificial or Unknown found in <213> in SEQ ID (3)
W 213	Artificial or Unknown found in <213> in SEQ ID (4)
W 213	Artificial or Unknown found in <213> in SEQ ID (5)
W 213	Artificial or Unknown found in <213> in SEQ ID (6)
W 213	Artificial or Unknown found in <213> in SEQ ID (7)
W 213	Artificial or Unknown found in <213> in SEQ ID (8)
W 213	Artificial or Unknown found in <213> in SEQ ID (9)
W 213	Artificial or Unknown found in <213> in SEQ ID (10)
W 213	Artificial or Unknown found in <213> in SEQ ID (11)
W 213	Artificial or Unknown found in <213> in SEQ ID (12)
W 213	Artificial or Unknown found in <213> in SEQ ID (13)
W 213	Artificial or Unknown found in <213> in SEQ ID (14)
W 213	Artificial or Unknown found in <213> in SEQ ID (15)
W 213	Artificial or Unknown found in <213> in SEQ ID (16)
W 213	Artificial or Unknown found in <213> in SEQ ID (17)
W 213	Artificial or Unknown found in <213> in SEQ ID (18)
W 213	Artificial or Unknown found in <213> in SEQ ID (19)
W 213	Artificial or Unknown found in <213> in SEQ ID (20)

**Input Set:**

**Output Set:**

**Started:** 2008-05-20 17:31:47.741  
**Finished:** 2008-05-20 17:31:53.668  
**Elapsed:** 0 hr(s) 0 min(s) 5 sec(s) 927 ms  
**Total Warnings:** 68  
**Total Errors:** 15  
**No. of SeqIDs Defined:** 68  
**Actual SeqID Count:** 68

Error code	Error Description
	This error has occurred more than 20 times, will not be displayed
E 341	'Xaa' position not defined SEQID (44) POS (2)
E 341	'Xaa' position not defined SEQID (44) POS (5)
E 341	'Xaa' position not defined SEQID (44) POS (7)
E 341	'Xaa' position not defined SEQID (44) POS (11)
E 341	'Xaa' position not defined SEQID (47) POS (2)
E 341	'Xaa' position not defined SEQID (47) POS (5)
E 341	'Xaa' position not defined SEQID (47) POS (11)
E 341	'Xaa' position not defined SEQID (48) POS (2)
E 341	'Xaa' position not defined SEQID (48) POS (5)
E 341	'Xaa' position not defined SEQID (48) POS (11)
E 341	'Xaa' position not defined SEQID (49) POS (2)
E 341	'Xaa' position not defined SEQID (49) POS (5)
E 341	'Xaa' position not defined SEQID (49) POS (11)
E 341	'Xaa' position not defined SEQID (52) POS (2)
E 331	Count of Protein differs from the <211> tag Input: 14

# SEQUENCE LISTING

<110> FUJII, Nobutaka  
 TAMAMURA, Hirokazu  
 HORI, Akira

<120> CXCR4 Antagonist and Uses Thereof

<130> Fujii-8

<140> 10525838  
 <141> 2005-10-14

<150> PCT/JP2003/010753  
 <151> 2003-08-26

<150> JP 2002-247843  
 <151> 2002-08-27

<160> 68

<170> PatentIn version 3.3

<210> 1  
 <211> 14  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Synthetic

<220>  
 <221> MISC\_FEATURE  
 <222> (1)..(1)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(2)  
 <223> Xaa is Arg or Glu

<220>  
 <221> MISC\_FEATURE  
 <222> (3)..(3)  
 <223> Xaa is an aromatic amino acid residue

<220>  
 <221> MISC\_FEATURE  
 <222> (6)..(6)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>

<221> MISC\_FEATURE  
 <222> (7)..(7)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (8)..(8)  
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (9)..(9)  
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (11)..(11)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (14)..(14)  
 <223> Xaa is Arg, Glu, Lys or citrulline  
  
 <400> 1  
  
 Xaa Xaa Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa  
 1 5 10  
  
 <210> 2  
 <211> 14  
 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 <223> Synthetic  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (2)..(2)  
 <223> Xaa is Arg or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (3)..(3)  
 <223> Xaa is an aromatic amino acid residue

220>  
 <221> MISC\_FEATURE  
 <222> (6)..(6)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (7)..(7)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (8)..(8)  
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (9)..(9)  
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (11)..(11)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Xaa is citrulline, Glu, Arg or Lys  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (14)..(14)  
 <223> Xaa is Arg, Glu, Lys or citrulline  
  
 <400> 2  
  
 Glu Xaa Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa  
 1 5 10

<210> 3  
 <211> 14  
 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 <223> Synthetic  
  
 <220>



```

<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is an aromatic amino acid residue

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline, Glu, Arg or Lys

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Xaa is Arg, Glu, Lys or citrulline
<400> 3

Xaa Glu Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa
1          5          10

```

```

<210> 4
<211> 14
<212> PRT

```

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC\_FEATURE

<222> (1)..(1)

<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>

<221> MISC\_FEATURE

<222> (2)..(2)

<223> Xaa is Arg or Glu

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa is an aromatic amino acid residue

<220>

<221> MISC\_FEATURE

<222> (7)..(7)

<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>

<221> MISC\_FEATURE

<222> (8)..(8)

<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu

<220>

<221> MISC\_FEATURE

<222> (9)..(9)

<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

<220>

<221> MISC\_FEATURE

<222> (10)..(10)

<223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu

<220>

<221> MISC\_FEATURE

<222> (11)..(11)

<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>

<221> MISC\_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline, Glu, Arg or Lys

<220>

<221> MISC\_FEATURE

<222> (14)..(14)

<223> Xaa is Arg, Glu, Lys or citrulline

<400> 4

Xaa Xaa Xaa Cys Tyr Glu Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa  
1 5 10

<210> 5  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (1)..(1)  
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu  
<220>  
<221> MISC\_FEATURE  
<222> (2)..(2)  
<223> Xaa is Arg or Glu

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is an aromatic amino acid residue

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>  
<221> MISC\_FEATURE  
<222> (7)..(7)  
<223> Xaa is Arg or Glu

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu

<220>  
<221> MISC\_FEATURE  
<222> (9)..(9)  
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

<220>  
<221> MISC\_FEATURE  
<222> (10)..(10)  
<223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu

<220>  
<221> MISC\_FEATURE  
<222> (11)..(11)  
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline, Glu, Arg or Lys

<220>  
<221> MISC\_FEATURE  
<222> (14)..(14)  
<223> Xaa is Arg, Glu, Lys or citrulline  
<400> 5

Xaa Xaa Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa  
1 5 10

<210> 6  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (1)..(1)  
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>  
<221> MISC\_FEATURE  
<222> (2)..(2)  
<223> Xaa is Arg or Glu

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is an aromatic amino acid residue

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>  
<221> MISC\_FEATURE  
<222> (7)..(7)  
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>  
<221> MISC\_FEATURE  
<222> (9)..(9)  
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

<220>  
<221> MISC\_FEATURE  
<222> (10)..(10)

<223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu

<220>

<221> MISC\_FEATURE

<222> (11)..(11)

<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>

<221> MISC\_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline, Glu, Arg or Lys

<220>

<221> MISC\_FEATURE

<222> (14)..(14)

<223> Xaa is Arg, Glu, Lys or citrulline

<400> 6

Xaa Xaa Xaa Cys Tyr Xaa Xaa Glu Xaa Xaa Xaa Xaa Cys Xaa  
1 5 10

<210> 7

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC\_FEATURE

<222> (1)..(1)

<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>

<221> MISC\_FEATURE

<222> (2)..(2)

<223> Xaa is Arg or Glu

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa is an aromatic amino acid residue

<220>

<221> MISC\_FEATURE

<222> (6)..(6)

<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>

<221> MISC\_FEATURE

<222> (7)..(7)

<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>

<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu

<220>  
<221> MISC\_FEATURE  
<222> (9)..(9)  
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

<220>  
<221> MISC\_FEATURE  
<222> (10)..(10)  
<223> Xaa is Glu

<220>  
<221> MISC\_FEATURE  
<222> (11)..(11)  
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline, Glu, Arg or Lys

<220>  
<221> MISC\_FEATURE  
<222> (14)..(14)  
<223> Xaa is Arg, Glu, Lys or citrulline  
<400> 7

Xaa Xaa Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa  
1 5 10

<210> 8  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (1)..(1)  
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>  
<221> MISC\_FEATURE  
<222> (2)..(2)  
<223> Xaa is Arg or Glu

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is an aromatic amino acid residue

<220>  
 <221> MISC\_FEATURE  
 <222> (6)..(6)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (7)..(7)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (8)..(8)  
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (9)..(9)  
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Xaa is citrulline, Glu, Arg or Lys  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (14)..(14)  
 <223> Xaa is Arg, Glu, Lys or citrulline  
 <400> 8

Xaa Xaa Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Glu Xaa Cys Xaa  
 1 5 10

<210> 9  
 <211> 14  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Synthetic

<220>  
 <221> MISC\_FEATURE  
 <222> (1)..(1)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>  
 <221> MISC\_FEATURE  
 <222> (1)..(14)

<223> L-amino acid or D-amino acid  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (2)..(2)  
 <223> Xaa is Arg or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (3)..(3)  
 <223> Xaa is an aromatic amino acid residue  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (6)..(6)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (7)..(7)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (8)..(8)  
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (9)..(9)  
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (11)..(11)  
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Xaa is Glu, Arg or Lys  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (14)..(14)  
 <223> Xaa is Arg, Glu, Lys or citrulline  
 <400> 9

Xaa Xaa Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa



<210> 10  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (1)..(1)  
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>  
<221> MISC\_FEATURE  
<222> (1)..(14)  
<223> L-amino acid or D-amino acid

<220>  
<221> MISC\_FEATURE  
<222> (2)..(2)  
<223> Xaa is Arg or Glu

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is an aromatic amino acid residue

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>  
<221> MISC\_FEATURE  
<222> (7)..(7)  
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu

<220>  
<221> MISC\_FEATURE  
<222> (9)..(9)  
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

<220>  
<221> MISC\_FEATURE  
<222> (10)..(10)  
<223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu

<220>  
<221> MISC\_FEATURE  
<222> (11)..(11)  
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline, Glu, Arg or Lys

<220>  
<221> MISC\_FEATURE  
<222> (14)..(14)  
<223> Xaa is Glu, Lys or citrulline

<400> 10

Xaa Xaa Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa  
1 5 10

<210> 11  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is Naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa can be Lys or D-Lys

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline

<400> 11

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 12  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa is D-Citrulline

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline

<400> 12

Arg Arg Xaa Cys Tyr Arg Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 13  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa is D-citrulline

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline

<400> 13

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 14

<211> 14  
 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 <223> Synthetic  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (3)..(3)  
 <223> Xaa is naphthyl-alanine  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (6)..(6)  
 <223> Xaa is citrulline  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (8)..(8)  
 <223> Xaa can be Lys or D-Lys  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (11)..(11)  
 <223> Xaa is citrulline  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Xaa is citrulline  
  
 <400> 14

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Xaa Xaa Cys Arg  
 1 5 10

<210> 15  
 <211> 13  
 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 <223> Synthetic  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (2)..(2)  
 <223> Xaa is naphthyl-alanine  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (5)..(5)  
 <223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (7)..(7)  
<223> Xaa can be Lys or D-Lys

<220>  
<221> MISC\_FEATURE  
<222> (11)..(11)  
<223> Xaa is citrulline

<400> 15

Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 16  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (1)..(1)  
<223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa is D-citrulline

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline

<400> 16  
Xaa Arg Xaa Cys Tyr Arg Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 17  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa is D-citrulline

<220>  
<221> MISC\_FEATURE  
<222> (11)..(11)  
<223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa is citrulline

<400> 17

Arg Arg Xaa Cys Tyr Arg Lys Xaa Pro Tyr Xaa Xaa Cys Arg  
1 5 10

<210> 18  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Synthetic

<220>  
<221> MISC\_FEATURE  
<222> (1)..(1)  
<223> Xaa is citrulline

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa is naphthyl-alanine

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa is D-lysine

<220>  
<221> MISC\_FEATURE  
<222> (11)..(11)  
<223> Xaa is citrulline

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Xaa is citrulline  
  
 <400> 18  
  
 Xaa Arg Xaa Cys Tyr Arg Lys Xaa Pro Tyr Xaa Xaa Cys Arg  
 1 5 10

<210> 19  
 <211> 14  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Synthetic

<220>  
 <221> MISC\_FEATURE  
 <222> (3)..(3)  
 <223> Xaa is naphthyl-alanine

<220>  
 <221> MISC\_FEATURE  
 <222> (6)..(6)  
 <223> Xaa is citrulline

<220>  
 <221> MISC\_FEATURE  
 <222> (8)..(8)  
 <223> Xaa is D-citrulline

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Xaa is citrulline

<400> 19  
  
 Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
 1